

A : SCI期刊論文

1. **Y.W. Lo, D.D. Reible*, J.R. Collier, and C.H. Chen**, "Three Dimensional Modeling of Reaction Injection Molding:I", Polymer Engineering and Science, **34 (18)**, 1393-1400, (1994).(SCI)
2. **Y.W. Lo, D.D. Reible*, J.R. Collier, and C.H. Chen**, "Three Dimensional Modeling of Reaction Injection Molding:II. Application", Polymer Engineering and Science, **34 (18)**, 1401-1405, 1994 (SCI).
3. **E.J. Comeaux, C.H. Chen, J.R. Collier*, and R.D. Wesson**, "Relation of Processing Time and Processing Temperature to the Degree of Fusion", Polymer Bulletin, **33 (6)**, 701-708, (1994) (SCI).
4. **C.H. Chen, R.D. Wesson, J.R. Collier*, and Y.W. Lo**, "Studies of Rigid Polyvinyl Chloride (PVC) Compounds:I. Morphological Characteristics of Polyvinyl Chloride /Chlorinated Polyethylene (PVC/CPE) Blends", Journal of Applied Polymer Science, **58**, 1087-1091, (1995) (SCI).
5. **C.H. Chen, R.D. Wesson, J.R. Collier*, and Y.W. Lo**, "Studies of Rigid Polyvinyl Chloride (PVC) Compounds:II. Determination of the Fusion Level", Journal of Applied Polymer Science, **58**, 1093-1099 (1995) (SCI).
6. **C.H. Chen, R.D. Wesson, J.R. Collier*, and Y.W. Lo**, "Studies of Rigid Polyvinyl Chloride (PVC) Compounds:III. Correlation of Compounding Energy with Fusion Level", Journal of Applied Polymer Science, **58**, 1101-1105, (1995) (SCI).
7. **C.H. Chen, R.D. Wesson, J.R. Collier*, and Y.W. Lo**, "Studies of Rigid Polyvinyl Chloride (PVC) Compounds: IV. Fusion Characteristics and Morphology Analyses", Journal of Applied Polymer Science, **58**, 1107-1115, (1995) (SCI).
8. **C.H. Chen* and Y.W. Lo**, "Application of Factorial Experimental Design to Demonstrate the Influence of Processing Conditions on the Fusion of PVC/CPE/OPE Blends", Journal of Applied Polymer Science, **73 (13)**, 2755-2761, (1999) (SCI) (NSC 87-2216-E-218-001).

9. **C.H. Chen* and Y.W. Lo**, "Influences of Chlorinated Polyethylene and Oxidized Polyethylene on the Fusion of Rigid Polyvinyl chloride (PVC) Compounds", Journal of Applied Polymer Science, **74** (3), 699-705, (1999) (SCI) (NSC 87-2216-E-218-001).
10. **C.H. Chen*, Y.W. Lo, C.F. Mao, C.Y. Chen, W.T. Liao**, "Studies of Glycolysis of Poly (ethylene terephthalate) Recycled from Post-Consumer Soft-Drink Bottles. I: Influences of Glycolysis Conditions", Journal of Applied Polymer Science, **80** (7), 943-948 (2001) (SCI) (NSC 89-2815-C-218-023-E).
11. **C.H. Chen*, Y.W. Lo, C.F. Mao, C.Y. Chen, W.T. Liao**, "Studies of Glycolysis of Poly (ethylene terephthalate) Recycled from Post-Consumer Soft-Drink Bottles. II: Factorial Experimental Design", Journal of Applied Polymer Science, **80** (7), 956-962 (2001) (SCI) (NSC 89-2815-C-218-023-E).
12. **C.H. Chen*, Y.W. Lo, C.F. Mao**, "Study of Fusion Percolation Thresholds of Rigid PVC Compounds", Journal of Applied Polymer Science, **81** (12), 3022-3029 (2001) (SCI).
13. **C.H. Chen***, "Application of Factorial Experimental Design to Study the Influence of Polymerization Conditions on the Yield of Polyaniline Powder", Journal of Applied Polymer Science, **85**(7), 1571-1580 (15 August 2002) (SCI).
14. **C.H. Chen***, "Thermal Studies of Polyaniline Doped with Dodecyl Benzene Sulfonic Acid Directly Prepared via Aqueous Dispersions", Journal of Polymer Research, **9**(3), 195-200 (September 2002) (SCI).
15. **C.H. Chen***, "Study of Glycolysis of Poly (ethylene terephthalate) Recycled from Post-Consumer Soft-Drink Bottles. III: Further Investigation", Journal of Applied Polymer Science, **87**(12), 2004-2010 (21 March 2003). (SCI) (NSC 89-2815-C-218-023-E)
16. **C.H. Chen***, "Thermal and morphological studies of chemically prepared emeraldine base form polyaniline powder", Journal of Applied Polymer Science, **89**(8), 2142-2148 (22 August 2003). (SCI)
17. **Ching-Feng Mao*, Cheng-Ho Chen**, "Thermoreversible gelation of nitrocellulose solutions", Journal of Applied Polymer Science, **90**(14), 4000-4008 (27 December 2003). (SCI)

18. **Cheng-Ho Chen***, **Fang-Yu Wang**, **Zu-Pei Ou**, “Studies of β -Chitin: I. Preparation and Characterization of Chitosan from β -Chitin”, Journal of Applied Polymer Science, **93**(5), 2416-2422 (5 September 2004).
19. **Cheng-Ho Chen***, **Fang-Yu Wang**, **Zu-Pei Ou**, “Studies of β -Chitin: II. Application of Experimental Design to Illustrate the Influence of Reaction Conditions on the Deacetylation Degree of Chitosan”, Journal of Applied Polymer Science, **93**(5), 2423-2428 (5 September 2004).
20. Hsien-Ming Kao* , Chun-Chiang Ting , Anthony S. T. Chiang , Chih-Chun Teng and Cheng-Ho Chen, “**Facile synthesis of stable cubic mesoporous silica SBA-1 over a broad temperature range with the aid of D-fructose**”, *Chemical Communication*, (8), 1058-1060 (February 2005), (Advance Article).
21. **Cheng-Ho Chen***, **Chih-Chun Teng**, and **Chien-Hsin Yang**, “Preparation and Characterization of Rigid Poly (vinyl chloride)/MMT nanocomposites, Journal of Polymer Science Part B: Polymer Physics, **43**(12), 1465-1474 (15 June 2005).
22. **Chien-Hsin Yang***, **Yi-Kai Chih**, **Hsyi-En Cheng**, **Cheng-Ho Chen**, “Nanofibers of self-doped polyaniline”, Polymer, 46(24), 10688-10698 (21 November 2005).
23. **Cheng-Ho Chen***, **Chih-Chun Teng**, **Shun-Fua Su**, **Wen-Chang Wu**, and **Chien-Hsin Yang**, “Effects of Microscale Calcium Carbonate and Nanoscale Calcium Carbonate on the Fusion, Thermal, and Mechanical Characterizations of Rigid Poly (vinyl chloride)/Calcium Carbonate Composites”, Journal of Polymer Science Part B: Polymer Physics, 44(2), 451-460 (15 January 2006).
24. **Chien-Hsin Yang***, **Yi-Kai Chih**, **Wen-Chang Wu**, and **Cheng-Ho Chen**, “Molecular Assembly Engineering of Self-Doped Polyaniline Film for Application in Electrochromic Devices”, *Electrochemical and Solid-State Letters*, **9** (1), C5-C8 (2006).
25. **Chien-Hsin Yang***, **Yi-Kai Chih**, **Ming-Shyong Tsai**, and **Cheng-Ho Chen**, “Self-Doped Polyaniline Nanostructures for Casting Metal Nanorods”, *Electrochemical and Solid-State Letters*, **9** (2), G49-G52 (2006).
26. **Cheng-Ho Chen***, **Hsin-Chiung Li**, **Chih-Chun Teng**, **Chien-Hsin Yang**, “Study of Rigid Poly (vinyl Chloride) (PVC) / Conductive Carbon Black (CB) Composites”, Journal of Applied Polymer Science , **99**(5), 2167-2173 (**5 March** 2006). (SCI)

27. **Chien-Hsin Yang, Tsun-Chih Yang, Cheng-Ho Chen, and Ming-Shyong Tsai**, “Electrochromic Devices Based on Copolymers of 2, 5-Dimethoxyaniline- Diphenylamine”, Journal of The Electrochemical Society, **153**(5), E85-E93 (27 March 2006). (SCI)
28. **Cheng-Ho Chen, Chih-Chun Teng, Ming-Shyong Tsai, and Fu-Su Yen**, “Preparation and Characterization of Rigid Poly (vinyl chloride)/MMT nanocomposites: II. XRD, Morphological and Mechanical Characteristics”, Journal of Polymer Science Part B: Polymer Physics, **44**(15), 2145-2154 (1 August 2006). (SCI)
29. **Cheng-Ho Chen, Ming-Kun Ou, Shin-Hsiang Lin, Ming-Shyong Tsai, Ching-Feng Mao, and Fu-Su Yen**, “Preparation and Application of an Ultraviolet Curable Coating Containing Nanoscale α -Aluminum Oxide”, Journal of Applied Polymer Science, **102**(6), 5747-5752 (15 December 2006). (SCI)
30. **Guang-Mau Liu, Ming-Shyong Tsai, Cheng-Ho Chen, and Chien-Hsin Yang**, “pH Effects on Formation of Cerium-doped Terbium Aluminum Garnet ($Tb_{2.95}Al_5O_{12}:Ce_{0.05}$) Phosphor Powder”, Journal of The Electrochemical Society, 154(1), J11-J14, (January 2007). (SCI) Impact factor: 2.387
31. **Cheng-Ho Chen***, **Ching-Feng Mao, Shun-Fua Su, Yauh-Yarng Fahn**, “Preparation and Characterization of Conductive Poly (vinyl alcohol)/Polyaniline Doped by Dodecyl Benzene Sulfonic Acid (PVA/PANDB) Blend Films”, Journal of Applied Polymer Science, **103**(5), 3415-3422, (5 March 2007). (SCI) Impact factor: 1.306
32. **Cheng-Ho Chen***, **Fang-Yu Wang, Ching-Feng Mao, and Chien-Hsin Yang**, “Studies of Chitosan. I. Preparation and Characterization of Chitosan/Poly (vinyl alcohol) Blend Films”, Journal of Applied Polymer Science, **105**(3), 1086-1092, (5 August 2007). (SCI) Impact factor: 1.306
33. **Ming-Shyong Tsai, Wen-Chuan Fu, Wen-Chang Wu, Cheng-Ho Chen, Chien-Hsin Yang**, “Effect of the aluminum source on the formation of yttrium aluminum garnet (YAG) powder via solid state reaction”, Journal of Alloys and Compounds, 455(1-2), 461–464, (5 May 2008). Impact factor: 1.455
34. **Chien-Hsin Yang, Feng-Jiin Liu, Liang-Ren Huang, Tzong-Liu Wang, Wen-Churng Lin, Mitsunobu Sato, Cheng-Ho Chen, Chia-Chin Chang**, “The application of triphenylamine-based hole-transporting materials in electrochromic devices“, Journal of Electroanalytical Chemistry 617, 101–110, (15 June 2008). (SCI) Impact factor: 2.580
35. **Cheng-Ho Chen***, **Fang-Yu Wang, Chien-Hsin Yang**, “Studies of Chitosan. II. Preparation and

- Characterization of Chitosan/Poly (vinyl alcohol)/Gelatin Ternary Blend Films”, *International Journal of Biological Macromolecules*, 43(1), 37-42 (1 July 2008). (SCI) Impact factor: 1.578
36. **Cheng-Ho Chen***, **Ching-Feng Mao**, **Ming-Shyong Tsai**, **Fu-Su Yen**, **Jian-Min Lin**, **Ching-Hui Tseng**, and **Heng-Yi Chen**, “Influence of Surface Modification on the Dispersion of Nanoscale α -Al₂O₃ Particles in a Thermoplastic Polyurethane (TPU) Matrix”, *Journal of Applied Polymer Science*, **110(1)**, 237-243 (5 October 2008). (SCI) Impact factor: 1.008
37. **Chih-Chun Teng**, **Chen-Chi M. Ma**, **Yen-Wei Huang**, **Siu-Ming Yuen**, **Cheng-Chih Weng**, **Cheng-Ho Chen**, **Shun-Fua Su**, “Effect of MWCNT Content on Rheological and Dynamic Mechanical Properties of Multiwalled Carbon Nanotube/Polypropylene Composites”, *Composites: Part A*, **39(12)**, 1869-1875 (December 2008). Impact factor: 1.662
38. **Ming-Shyong Tsai**, **Po-Yuan Huang**, **Wen-Chang Wu**, **Cheng-Ho Chen**, “Effect of cerium modification on the formation of colloidal silica”, *Materials Chemistry and Physics*, **114 (1)**, 247–251 (15 March 2009). Impact factor: 1.799
39. **Cheng-Ho Chen**, **Hsiang-Yuan Li**, **Chien-Yuan Chien**, **Fu-Su Yen**, **Heng-Yi Chen**, and **Jian-Min Lin**, “Preparation and characterization of α -Al₂O₃/nylon 6 nanocomposite masterbatches”, *Journal of Applied Polymer Science*, **112(2)**, 1063-1069 (15 April 2009) (2009). (SCI) Impact factor: 1.187
40. **Cheng-Ho Chen**, **Jian-Yuan Jian**, and **Fu-Su Yen**, “Preparation and Characterization of Epoxy/ γ -Aluminum Oxide Nanocomposites”, *Composites: Part A*, **40(4)**, 463-468 (April 2009). Impact factor: 1.951
41. **Cheng-Ho Chen**, **Jun-Jie Wang**, **Fu-Su Yen**, “Preparation and tribological properties of polyurethane/ α -aluminum oxide hybrid films”, *Thin Solid Film*, **518(24)** 7515-7518 (1 October 2010). Impact factor: 1.727
42. **Cheng-Ho Chen**, **Yu-Feng Dai**, “Effect of the amount of chitosan on the interfacial polymerization of aniline”, *Carbohydrate Polymers*, **84(2)** 840-843 (1 March 2011) (impact factor 3.167, 2009). Impact factor: 3.463, 2010
43. **Cheng-Ho Chen**, **Jun-Jie Wang**, **Fu-Su Yen**, “Application of a UV curable hard coating with κ -aluminum oxide particles on poly (vinyl chloride) plastic tiles”, *Composites: Part B*

(engineering), 43(2) 569-72 (March 2012). Impact factor: 1.773 (4/24, materials science-composites, 2010)

44. **Cheng-Hsin Chuang, Hsun-Pei Wu, Cheng-Ho Chen, Peng-Rong Wu**, “Flexible pH sensor with polyaniline layer based on impedance measurement”, International Journal on Smart Sensing and Intelligent Systems, **5(1)** 1-13, (EI, March 2012)
45. **Ching-Feng Mao, Worasaung Klinthong, Yuan-Chang Zeng, Cheng-Ho Chen**, “On the interaction between konjac glucomannan and xanthan in mixed gels: An analysis based on the cascade model”, Carbohydrate Polymers, **89(1)** 98-103 (5 June 2012) (impact factor 3.167, 2009). Impact factor: 3.463 (11/79, polymer science; 3/70, chemistry-applied, 2010)
46. **Cheng-Ho Chen, Yi-Ting Kan, Ching-Fong Mao, Wei-Tung Liao, Ching-Dong Hsieh**, “Fabrication and characterization of water-based polyurethane/polyaniline conducting blend films”, Surface & Coatings Technology, **231** 71-76 (25 September 2013) Impact factor 1.941 (3/17, MATERIALS SCIENCE, COATINGS & FILMS, 2012).
47. **Cheng-Hsin Chuang, Hsun-Pei Wu, Yao-Wei Huang, Cheng-Ho Chen**, “Enhancing of Intensity of Fluorescence by DEP Manipulations of Polyaniline-Coated Al₂O₃ Nanoparticles for Immunosensing”, Biosensors and Bioelectronics, **48** 158-164 (15 October 2013) Impact factor 5.437 (1/27, ELECTROCHEMISTRY, 2012).
48. **Cheng-Hsin Chuang, Yuan-Chu Yu, Da-Huei Lee, Ting-Feng Wu, Cheng-Ho Chen, Shih-Min Chen, Hsun-Pei Wu, Yao-Wei Huang**, “Miniaturization of immunoassay by using a novel module-level immunosensor with Polyaniline-modified nanoprobe that incorporate impedance sensing and paper-based sampling”, Microfluidics and Nanofluidics, **16** 869-877 (1 May 2014) Impact factor 3.218 (4/57, Instrument & Instrumentation, 2014).
49. **Cheng-Hsin Chuang, Hsun-Pei Wu, Yao-Wei Huang, Cheng-Ho Chen, Da-Huei Lee, and Ting-Feng Wu**, “A Rapid and Sensitive Impedance based Immunosensor utilizing Dielectrophoretic Manipulations of Polyaniline modified Nanoprobes”, IEEE SENSORS JOURNAL, **16(11)**, 4166-4173 (JUNE 1, 2016).

50. Cheng-Hsin Chuang, Yi-Chun Du, Ting-Feng Wu, Cheng-Ho Chen, Da-Huei Lee, Shih-Min Chen, Ting-Chi Huang, Hsun-Pei Wu, Muhammad Omar Shaikh, "Immunosensor for the ultrasensitive and quantitative detection of bladder cancer in point of care testing", *Biosensors and Bioelectronics*, 84, 126-32 (2016 Oct 15) Impact factor 5.437 (1/27, ELECTROCHEMISTRY, 2012).
51. Cheng-Ho Chen, Chiao-Jung Ko, Cheng-Hsin Chuang, Ching-Feng Mao, Wei-Tung Liao, Ching-Dong Hsieh, "Synthesis and characterization of polyaniline co-doped with nitric acid and dodecyl benzene sulfonic acid", *Journal of Polymer Research*, 24(1), article 10 (2017/01/05).

B：中文期刊論文

1. 陳澄河, "化腐朽為神奇—淺談幾丁類物質之特性與應用", *生物資源 生物技術*, 第四卷第1期(March), 27-36, (2002).
2. 陳澄河, "蝦蟹殼傳奇", *科學發展月刊*, 第369期 (September), 62-67, (2003).
3. 陳澄河, "淺談乙二醇醇解回收聚對苯二甲酸乙二酯(PET)", *塑膠資訊*, 第369期 (), 62-67, (2004).
4. 陳澄河, "創造無限可能的高分子材料", *科學發展月刊*, 第389期 (May), 58-63, (2005).
5. 陳澄河, "導電高分子材料之介紹與應用", *2005電子&包裝特刊*, 亞洲包裝工業出版社, (October), 16-20, (2005).
6. 陳澄河, "有機/無機奈米複合材料之簡介", *陶業季刊 (中華民國陶業研究學會 會刊)*, (October), Vol. 24 (4), 1-6, (2005).
7. 陳澄河, "回收聚對苯二甲酸乙酯(PET)與乙二醇(EG)之醇解反應", *高分子會訊 (中華民國高分子學會 會刊)*, (April), Vol. 7 (1), 43-51(2006).
8. 陳澄河、歐明坤、林世祥、王淑君、謝孟哲、顏富士, "高功能奈米級 α -氧化鋁粉末應用於紫外光 (UV) 硬化塗料", *陶業季刊 (中華民國陶業研究學會 會刊)*, (October), Vol. 25 (4), 11-18, (2006).
9. 鄧至均、簡大鈞、石燕鳳、陳澄河, "生物可分解高分子複合材料簡介", *i.plastics*, 奈米高分子複材及高性能環保材料, 財團法人塑膠工業技術發展中心 出刊, 121-137, (2007/06).
10. 陳澄河, "以界面聚合法製備奈米結構之導電性聚苯胺", *工程科技通訊*109期 (國科會出刊), 117-120, (2010/12).

11. 陳澄河， “起雲劑與塑化劑” ， 科學發展月刊， 第463期 (July), 458-55, (2011).
12. 陳澄河、簡建原、莊朝欽， ” 環氧樹脂/液態橡膠/ γ -Al₂O₃奈米複合材料之製備與性質分析” ， 尖端材料科技協會季刊， NO.50, pp 28-31 2017/10~2017/12.